

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23386

Stream : West Fork White River

Applicant : Town of Chesterfield
Chris Parrish
17 Veterans Boulevard
Chesterfield, IN 46017-1500

Description : A new baseball diamond will be constructed at the Riverside Baseball Complex. Construction activities include: grading, planting grass for the outfield, installing approximately 450' of 4' tall chain link fencing and a 10' x 6' chain link backstop. Details of the project are contained in information and plans received at the Division of Water on June 3, 2005.

Location : At the existing Walbridge Acres Park; along the south (left) overbank, approximately 1600' east and 2100' north of the intersection of County Road 400 East and State Road 32
DOWNSTREAM: near Chesterfield, Union Township, Madison County
NE¼, NW¼, Section 11, T 19N, R 8E, Middletown Quadrangle
Quad Code: 4008515
UTM Coordinates: Downstream 4441675 North, 620125 East
UPSTREAM:
UTM Coordinates: Upstream 4441745 North, 620210 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23388

Stream : St. Joseph River

Applicant : Nancy J Wentz
29673 CR 16 W
Elkhart, IN 46516-1311

Description : An existing, concrete seawall will be replaced with a new steel sheet piling seawall, placed immediately waterward of the existing concrete seawall, along 78' of the south (left) bank of the St. Joseph river to deter bank erosion. The new wall will be approximately 7' high, as measured from the riverbed, will have the same alignment as the existing wall, and will tie into existing seawalls located on adjacent properties located to the east and the west. The piling will be driven approximately 5' into the riverbed and will be anchored with deadmen spaced at 12' intervals. A rear facing whaler will be placed across the inside of the wall to further stabilize the structure. Clean fill will be brought onsite to backfill the area landward of the new seawall. The fill will be leveled with the top of the wall at the river and will be tapered back to existing ground elevations within the project site. Details of the project are contained in information received electronically at the Division of Water on June 6, 2005.

Location : Along the south (left) bank of the St. Joseph River approximately 7000' upstream of the State Road 219 bridge

NE1/4, NW1/4, Sec 11, T37N, R4E, Baugo Twp., Elkhart Co., Osceola
Quadrangle
near Elkhart, Baugo Township, Elkhart County
Section 11, T 37N, R 4E, Osceola Quadrangle
Quad Code: 4108661

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23389

Stream : Waterford Creek

Applicant : Vector Pipeline L.P.
Rachael Shetka
119 North 25th Street
Superior, WI 54880

Description : An existing timber mat bridge will be replaced with a new culvert. The new crossing will consist of one 14' long, 36" diameter galvanized steel culvert. Minor channel shaping will occur both upstream and downstream of the crossing. The shaped areas will be lined with riprap placed over geotextile fabric. Additional riprap will be placed over the culvert to create a level surface. Two 10' long by 4' wide by 1' thick timber mats will be placed on top of the culvert as a driving surface. Details of the project are contained in information and plans received at the Division of Water on June 6, 2005.

Location : Approximately 1200' east of County Road 675 West and 200' south of the north section line
near Michigan City, Coolspring Township, LaPorte County
NE¼, NE¼, NW¼, Section 25, T 37N, R 4W, Michigan City East Quadrangle
Quad Code: 4108667
UTM Coordinates: Downstream 4609044 North, 514379 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23390

Stream : Bullerman Ditch

Applicant : Colonial Development
Craig Yoder
6008 Brandy Chase Cove
Fort Wayne, IN 46815-7601

Description : Approximately 2100' of both streambanks will be reconstructed to increase storage capacity and a work area for cleaning. The reconstructed stream will have 5:1 sideslopes. Details of the project are contained in information and plans received at the Division of Water on June 6, 2005.

Location : At the Landin Road crossing extending southeast for 2100 feet
DOWNSTREAM: near Fort Wayne, St. Joseph Township, Allen County
NE $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 36, T 31N, R 13E, Fort Wayne East Quadrangle
Quad Code: 4108511
UTM Coordinates: Downstream 4550742 North, 666670 East
UPSTREAM: SW $\frac{1}{4}$, SE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 36, T 31N, R 13E

UTM Coordinates: Upstream 4551102 North, 666156 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23391

Stream : Wildcat Creek

Applicant : Carroll County Board of Commissioners
Ramzi Awwad
616 East Elizabeth Street
Flora, IN 46929-1719

Description : The existing steel truss bridge carrying Prince William Road over Wildcat Creek will be rehabilitated and the steel will be painted. All components of the existing bridge will remain with the exception of the concrete bridge deck. Bank stabilization will occur on both the east and west banks. Glacial stone will be placed to match the original bank stabilization when the bridge was erected in 1968. All project activity will occur within the 150' span of the bridge and approximately 20' from each side of the truss. Details of the project are contained in information and plans received at the Division of Water on June 6, 2005.

Location : At the Prince William Road crossing
near Owasco, Clay Township, Carroll County
SE¼, NW¼, NE¼, Section 1, T 23N, R 2W, Rossville Quadrangle
Quad Code: 4008645
UTM Coordinates: Downstream 4480146 North, 534984 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20077

Lake : Martin Lake

Applicant : Dale A Adams
Jeffrey Wible, Atty
1990 East 525 South
Wolcottville, IN 46795-9242

Description : A new glacial stone seawall will be constructed across 35' of the applicant's frontage. The lakeward face of the wall will be located along the lake's average normal shoreline. The existing timber seawall will be removed. Details of the project are contained in information and plans received at the Division of Water on June 2, 2005.

Location : 1990 East 525 South

near Wolcottville, Johnson Township, LaGrange County
NE¼, Section 20, T 36N, R 10E, Oliver Lake Quadrangle
Quad Code: 4108554

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20144

Stream : St. Joseph River

Applicant : Robert A Beckstrom
2120 Greenleaf Blvd
Elkhart, IN 46514-4076

Description : An existing, dirt seawall will be replaced with a new decorative concrete block seawall along 100' of the south bank of Putterbaugh Creek, a tributary of the St. Joseph River (known as Conn's Pond) to deter bank erosion. The new wall will be approximately 2' high, as measured from the streambed, will have the same alignment as the existing wall, and will tie into existing seawalls located on adjacent properties located to the west and the east. The piling will be driven approximately 3' into the streambed and will be anchored with deadmen spaced at 15' intervals. A whaler will be placed across the face of the wall to further stabilize the seawall. Clean fill will be brought onsite to backfill the area landward of the new seawall. The fill will be leveled with the top of the wall at the river and will be tapered back to existing ground elevations within the project site. Details of the project are contained in information received electronically at the Division of Water on May 31, 2005.

Location : The north property line of Lot 53 and part of lots 52 and 54, Boardmoor, an Addition to the City of Elkhart, Plat Book 1 Page 170, Osolo Township, Elkhart County, Indiana, also known as 2120 Greenleaf Blvd (formerly 2120 Broadmoor St).
at Elkhart, Osolo Township, Elkhart County
Section 34, T 38N, R 5E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20146

Lake : Witmer Lake

Applicant : Paul L Johnston
1205 East 790 South
Wolcottville, IN 46795-9023

Description : A new seawall will be constructed across 100' of the 100' frontage of the applicant along Witmer Lake to deter shoreline erosion. The wall will consist of retaining wall block which will be sloped on the lakeward side. It will be 40" high and will vary uniformly in thickness from 12" inches. The lakeward face of the wall will be legal shoreline. A 4-6" wide layer of gravel/rock will be placed at the base of the wall for toe protection. Details of the project are contained in information received electronically at the Division of Water on June 6, 2005.

Location : Along the right (south) bank of channel on Witmer Lake and continuing along the property line for approximately 100 feet at a common address of 1205 East 790 South, Zabona's Lot # 27
at Wolcottville, Johnson Township, LaGrange County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20147

Lake : Sawmill Lake

Applicant : Paul Ruiz
47 EMS B42A Lane
Leesburg, IN 46538-9442

Description : A straight concrete seawall will be constructed between existing concrete seawalls on the adjacent properties. Details of the project are contained in information received electronically at the Division of Water on June 6, 2005.

Location : 47 Ems B42a Ln, North Side of Sawmill Lake
near North Webster, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20148

Lake : Martin Lake

Applicant : Dale A Adams
Jeffrey Wible, ATTY
2000 East 525 South
Wolcottville, IN 46795-9008

Description : A new glacial stone seawall will be constructed across 35' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal normal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 3, 2005.

Location : 2000 East 525 South

near Wolcottville, Johnson Township, LaGrange County
NW¼, Section 21, T 36N, R 10E, Oliver Lake Quadrangle
Quad Code: 4108554

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20149

Lake : Chapman Lake

Applicant : Arthur C Bartlett
13911 Silver Stream Drive
Carmel, IN 46032-8985

Description : An existing concrete seawall will be refaced across a portion of the 50' frontage of the applicant on Chapman Lake to prevent deterioration. The refacing will consist of concrete which will be tied to the existing wall with 1/2" rebar. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 12" wide layer of gravel will be placed at the base of the wall for toe protection. A 24" wide walkway matching the existing walkway on the seawall at 1091 Chapman Lake Rd. will be constructed on top and landward of the lakeward face of the refaced wall. Three (3) PVC pipes will be inserted through the seawall above the water line to provide drainage from behind the seawall. The county drain pipe which passes through the north side of the existing seawall will be extended so as to pass through the reface. The north corner of the existing seawall which the ice has raised above ground level will be cut off so that the walkway will be level. Details of the project are contained in information received electronically at the Division of Water on June 8, 2005.

Location : The project will occur at the lakefront at 1085 Chapman Lake Drive near Warsaw, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11